Chemistry and Physics of Lipids, 62 (1992) 321–324
Elsevier Scientific Publishers Ireland Ltd.

Subject Index

Volume 62 (1992)

^{13}C, high resolution NMR spectra, fish lipids, *n*-3, *n*-6, *n*-7, *n*-9, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
aggregation properties, gangliosides, ceramide, lipid moiety, critical micellar concentration, granule cells, 1
aging of liposomes, leak-in rate, permeability, physical stability, fluid-state bilayers, lyso-phosphatidylcholine effect, cholesterol effect, 113
air-water interface, fluorescent lipid probes, monolayers, phosphatidylcholine, phosphatidylglycerol, gangliosides, 293
allylic dihydroxy unsaturated fatty ester, dehydration, 177
aminoglycoside, deuterium, interaction, nuclear magnetic resonance, phosphatidylcholine, phosphatidylinositol, 153
antioxidants, fluorescence, bilayers, quenching, energy transfer, 123
apoprotein, cholesterol, interaction, guanidine group, arginine, hydroxyl group, 229
arachidonic, linolenic, radical, singlet oxygen, photo-oxidation, high performance liquid chromatograpy (HPLC), 165
arginine, apoprotein, cholesterol, interaction, guanidine group, hydroxyl group, 229

bilayer phase transition, DHPC, vesicle aggregation, Ca^{2+}, ethanol, stereoisomers, 253
bilayers, antioxidants, fluorescence, quenching, energy transfer, 123
1,2-bis-(tricosa 10,12 diynoyl)-*rac*-glycero-3-(-*p*-toluene-sulfonate), polymerizable lipid, Raman scattering, resonance Raman, diacetylene, crystallinity, 139
BNCT, ether lipid, boron neutron capture therapy, phosphoamidite, glycidyl ether, 185
boron neutron capture therapy, ether lipid, BNCT, phosphoamidite, glycidyl ether, 185

Ca^{2+}, DHPC, vesicle aggregation, bilayer phase transition, ethanol, stereoisomers, 253
calcium antagonists, membrane perturbation, EPR spectroscopy, 11
ceramide, conformation, 2,3-dihydroxy fatty acid, phytosphingosine, hydrogen bonds, 79
ceramide, gangliosides, lipid moiety, aggregation properties, critical micellar concentration, granule cells, 1
changes in membrane fluidity, MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), $MPDP^+$ (1-methyl-4-phenyl-2,3-dihydropyridinium), MPP^+ (1-methyl-4-phenylpyridinium), cytochrome *P*-450 inhibition, 303
cholera toxin, resonance energy transfer, glycosphingolipid clustering, ganglioside GM1, 4-nitrobenz-2-oxa-1,3,-diazole (NBD), diphenylhexatriene (DPH), 269
cholesterol effect, leak-in rate, permeability, physical stability, fluid-state bilayers, aging of liposomes, lyso-phosphatidylcholine effect, 113
cholesterol hydroperoxides, oxysterols, cholesterol oxidation, oxidized LDL, 209
cholesterol oxidation, oxysterols, cholesterol hydroperoxides, oxidized LDL, 209
cholesterol, apoprotein, interaction, guanidine group, arginine, hydroxyl group, 229
conformation, ceramide, 2,3-dihydroxy fatty acid, phytosphingosine, hydrogen bonds, 79
conformational analysis, 15-oxygenated sterols, inhibitors of sterol synthesis, ^1H- and ^{13}C-NMR of sterols, 55
counterion-headgroup interaction, diacetylenic phospholipids, tubules, morphology modulation, surface-charge screening, monolayer films, 193
critical micellar concentration, gangliosides, ceramide, lipid moiety, aggregation properties, granule cells, 1
crystallinity, polymerizable lipid, Raman scattering, resonance Raman, diacetylene, 1,2-bis-(tricosa 10,12 diynoyl)-*rac*-glycero-3-(-*p*-toluene-sulfonate),
cysteamine, peroxidation, liposomes, phospholipids, 31
cytochrome *P*-450 inhibition, MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), $MPDP^+$ (1-methyl-4-phenyl-2,3-dihydropyridinium), MPP^+ (1-methyl-4-phenylpyridinium), changes in membrane fluidity, 303

dehydration, allylic dihydroxy unsaturated fatty ester, 177
deuterium, aminoglycoside, interaction, nuclear magnetic resonance, phosphatidylcholine, phosphatidylinositol, 153
DHPC, vesicle aggregation, bilayer phase transition, Ca^{2+}, ethanol, stereoisomers, 253
diacetylene, polymerizable lipid, Raman scattering, resonance Raman, crystallinity, 1,2-bis-(tricosa 10,12 diynoyl)-*rac*-glycero-3-(-*p*-toluene-sulfonate), 139
diacetylenic phospholipids, tubules, counterion-headgroup interaction, morphology modulation, surface-charge screening, monolayer films, 193
diacylglycerol, phospholipid vesicles, fusion, infrared spectroscopy, ^{31}P-nuclear magnetic resonance, 215
2,3-dihydroxy fatty acid, ceramide, conformation, phytosphingosine, hydrogen bonds, 79
diphenylhexatriene (DPH), resonance energy transfer, glycosphingolipid clustering, cholera toxin, ganglioside GM1, 4-nitrobenz-2-oxa-1,3,-diazole (NBD), 269

DNA gyrase, two-dimensional crystallization, protein, phospholipid, novobiocin, synthesis, 93
docosahexaenoic acid, high resolution NMR spectra, ^{13}C, fish lipids, *n*-3, *n*-6, *n*-7, *n*-9, eicosapentaenoic acid, arachidonic acid, 239
domain, methylation, phospholipids, monolayer, fluorescence microscopy, phase transition, 69
dynamic light scattering, liposome characterization, small angle X-ray scattering, encapsulated volume, size distribution, 105

eicosapentaenoic acid, high resolution NMR spectra, ^{13}C, fish lipids, *n*-3, *n*-6, *n*-7, *n*-9, docosahexaenoic acid, arachidonic acid, 239
encapsulated volume, liposome characterization, dynamic light scattering, small angle X-ray scattering, size distribution, 105
energy transfer, antioxidants, fluorescence, bilayers, quenching, 123
EPR spectroscopy, calcium antagonists, membrane perturbation, 11
ethanol, DHPC, vesicle aggregation, bilayer phase transition, Ca^{2+}, stereoisomers, 253
ether lipid, boron neutron capture therapy, BNCT, phosphoamidite, glycidyl ether, 185
excimer, pyrene-labeled lipid, phase transition, 39

fatty ester, thiolsulfinate, synthesis, physical properties, 145
fish lipids, high resolution NMR spectra, ^{13}C, *n*-3, *n*-6, *n*-7, *n*-9, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
fluid-state bilayers, leak-in rate, permeability, physical stability, aging of liposomes, lyso-phosphatidylcholine effect, cholesterol effect, 113
fluorescence microscopy, methylation, phospholipids, monolayer, domain, phase transition, 69
fluorescence, antioxidants, bilayers, quenching, energy transfer, 123
fluorescent lipid probes, air-water interface, monolayers, phosphatidylcholine, phosphatidylglycerol, gangliosides, 293
Fourier transform infrared spectroscopy, palmitic acid, phosphatidylcholine, isotopic substitution, 19
fusion, diacylglycerol, phospholipid vesicles, infrared spectroscopy, ^{31}P-nuclear magnetic resonance, 215

ganglioside GM1, resonance energy transfer, glycosphingolipid clustering, cholera toxin, 4-nitrobenz-2-oxa-1,3,-diazole (NBD), diphenylhexatriene (DPH), 269
gangliosides, ceramide, lipid moiety, aggregation properties, critical micellar concentration, granule cells, 1
gangliosides, fluorescent lipid probes, air-water interface, monolayers, phosphatidylcholine, phosphatidylglycerol, 293
glycidyl ether, ether lipid, boron neutron capture therapy, BNCT, phosphoamidite, 185
glycolipid, mannose mycolate, *Rhodococcus*, mycolic acid, 311
glycosphingolipid clustering, resonance energy transfer, cholera toxin, ganglioside GM1, 4-nitrobenz-2-oxa-1,3,-diazole (NBD), diphenylhexatriene (DPH), 269
granule cells, gangliosides, ceramide, lipid moiety, aggregation properties, critical micellar concentration, 1
growth rate, myelin figure, phosphatidylcholine, phosphatidylethanolamine, 87
guanidine group, apoprotein, cholesterol, interaction, arginine, hydroxyl group, 229

^{1}H- and ^{13}C-NMR of sterols, 15-oxygenated sterols, inhibitors of sterol synthesis, conformational analysis, 55
^{1}H-NMR, local anesthetics, lipid bilayer, nuclear Overhauser effect, molecular dynamics, 45
high performance liquid chromatograpy (HPLC), linolenic, arachidonic, radical, singlet oxygen, photo-oxidation, 165
high resolution NMR spectra, ^{13}C, fish lipids, *n*-3, *n*-6, *n*-7, *n*-9, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
hydrogen bonds, ceramide, conformation, 2,3-dihydroxy fatty acid, phytosphingosine, 79
hydroxyl group, apoprotein, cholesterol, interaction, guanidine group, arginine, 229

infrared spectroscopy, diacylglycerol, phospholipid vesicles, fusion, ^{31}P-nuclear magnetic resonance, 215
inhibitors of sterol synthesis, 15-oxygenated sterols, ^{1}H- and ^{13}C-NMR of sterols, conformational analysis, 55
interaction, aminoglycoside, deuterium, nuclear magnetic resonance, phosphatidylcholine, phosphatidylinositol, 153
interaction, apoprotein, cholesterol, guanidine group, arginine, hydroxyl group, 229
isotopic substitution, palmitic acid, phosphatidylcholine, Fourier transform infrared spectroscopy, 19

leak-in rate, permeability, physical stability, fluid-state bilayers, aging of liposomes, lyso-phosphatidylcholine effect, cholesterol effect, 113
linolenic, arachidonic, radical, singlet oxygen, photo-oxidation, high performance liquid chromatograpy (HPLC), 165
lipid bilayer, local anesthetics, nuclear Overhauser effect, ^{1}H-NMR, molecular dynamics, 45
lipid moiety, gangliosides, ceramide, aggregation properties, critical micellar concentration, granule cells, 1
liposome characterization, dynamic light scattering, small angle X-ray scattering, encapsulated volume, size distribution, 105
liposomes, peroxidation, phospholipids, cysteamine, 31
local anesthetics, lipid bilayer, nuclear Overhauser effect, ^{1}H-NMR, molecular dynamics, 45
lyso-phosphatidylcholine effect, leak-in rate, permeability, physical stability, fluid-state bilayers, aging of liposomes, cholesterol effect, 113

mannose mycolate, *Rhodococcus*, mycolic acid, glycolipid, 311
membrane perturbation, calcium antagonists, EPR spectroscopy, 11

methylation, phospholipids, monolayer, domain, fluorescence microscopy, phase transition, 69
microwave, transesterification, pyrrolidides, 281
molecular dynamics, local anesthetics, lipid bilayer, nuclear Overhauser effect, ^{1}H-NMR, 45
monolayer films, diacetylenic phospholipids, tubules, counterion-headgroup interaction, morphology modulation, surface-charge screening, 193
monolayer, methylation, phospholipids, domain, fluorescence microscopy, phase transition, 69
monolayers, fluorescent lipid probes, air-water interface, phosphatidylcholine, phosphatidylglycerol, gangliosides, 293
morphology modulation, diacetylenic phospholipids, tubules, counterion-headgroup interaction, surface-charge screening, monolayer films, 193
MPDP^{+} (1-methyl-4-phenyl-2,3-dihydropyridinium), MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), MPP^{+} (1-methyl-4-phenylpyridinium), changes in membrane fluidity, cytochrome *P*-450 inhibition, 303
MPP^{+} (1-methyl-4-phenylpyridinium), MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), MPDP^{+} (1-methyl-4-phenyl-2,3-dihydropyridinium), changes in membrane fluidity, cytochrome *P*-450 inhibition, 303
MPTP (1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine), MPDP^{+} (1-methyl-4-phenyl-2,3-dihydropyridinium), MPP^{+} (1-methyl-4-phenylpyridinium), changes in membrane fluidity, cytochrome *P*-450 inhibition, 303
mycolic acid, mannose mycolate, *Rhodococcus*, glycolipid, 311
myelin figure, growth rate, phosphatidylcholine, phosphatidylethanolamine, 87

n-3, high resolution NMR spectra, ^{13}C, fish lipids, *n*-6, *n*-7, *n*-9, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
n-6, high resolution NMR spectra, ^{13}C, fish lipids, *n*-3, *n*-7, *n*-9, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
n-7, high resolution NMR spectra, ^{13}C, fish lipids, *n*-3, *n*-6, *n*-9, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
n-9, high resolution NMR spectra, ^{13}C, fish lipids, *n*-3, *n*-6, *n*-7, eicosapentaenoic acid, docosahexaenoic acid, arachidonic acid, 239
4-nitrobenz-2-oxa-1,3,-diazole (NBD), resonance energy transfer, glycosphingolipid clustering, cholera toxin, ganglioside GM1, diphenylhexatriene (DPH), 269
novobiocin, two-dimensional crystallization,. protein, phospholipid, synthesis, DNA gyrase, 93
nuclear magnetic resonance, aminoglycoside, deuterium, interaction, phosphatidylcholine, phosphatidylinositol, 153
nuclear Overhauser effect, local anesthetics, lipid bilayer, ^{1}H-NMR, molecular dynamics, 45

oxidized LDL, oxysterols, cholesterol hydroperoxides, cholesterol oxidation, 209
15-oxygenated sterols, inhibitors of sterol synthesis, ^{1}H- and ^{13}C-NMR of sterols, conformational analysis, 55
oxysterols, cholesterol hydroperoxides, cholesterol oxidation, oxidized LDL, 209

^{31}P-nuclear magnetic resonance, diacylglycerol, phospholipid vesicles, fusion, infrared spectroscopy, 215
palmitic acid, phosphatidylcholine, Fourier transform infrared spectroscopy, isotopic substitution, 19
permeability, leak-in rate, physical stability, fluid-state bilayers, aging of liposomes, lyso-phosphatidylcholine effect, cholesterol effect, 113
peroxidation, liposomes, phospholipids, cysteamine, 31
phase transition, methylation, phospholipids, monolayer, domain, fluorescence microscopy, 69
phase transition, pyrene-labeled lipid, excimer, 39
phenosafranin dye, phospholipid liposome, thionine dye, photovoltage, photoelectrochemistry of dye, 225
phosphatidylcholine, aminoglycoside, deuterium, interaction, nuclear magnetic resonance, phosphatidylinositol, 153
phosphatidylcholine, fluorescent lipid probes, air-water interface, monolayers, phosphatidylglycerol, gangliosides, 293
phosphatidylcholine, myelin figure, growth rate, phosphatidylethanolamine, 87
phosphatidylcholine, palmitic acid, Fourier transform infrared spectroscopy, isotopic substitution, 19
phosphatidylethanolamine, myelin figure, growth rate, phosphatidylcholine, 87
phosphatidylglycerol, fluorescent lipid probes, air-water interface, monolayers, phosphatidylcholine, gangliosides, 293
phosphatidylinositol, aminoglycoside, deuterium, interaction, nuclear magnetic resonance, phosphatidylcholine, 153
phosphoamidite, ether lipid, boron neutron capture therapy, BNCT, glycidyl ether, 185
phospholipase C, phosphonate, phospholipase D, 263
phospholipase D, phosphonate, phospholipase C, 263
phospholipid liposome, phenosafranin dye, thionine dye, photovoltage, photoelectrochemistry of dye, 225
phospholipid vesicles, diacylglycerol, fusion, infrared spectroscopy, ^{31}P-nuclear magnetic resonance, 215
phospholipid, two-dimensional crystallization, protein, novobiocin, synthesis, DNA gyrase, 93
phospholipids, methylation, monolayer, domain, fluorescence microscopy, phase transition, 69
phospholipids, peroxidation, liposomes, cysteamine, 31
phosphonate, phospholipase C, phospholipase D, 263
photo-oxidation, linolenic, arachidonic, radical, singlet oxygen, high performance liquid chromatograpy (HPLC), 165
photoelectrochemistry of dye, phospholipid liposome, phenosafranin dye, thionine dye, photovoltage, 225
photovoltage, phospholipid liposome, phenosafranin dye, thionine dye, photoelectrochemistry of dye, 225
physical properties, thiolsulfinate, fatty ester, synthesis, 145
physical stability, leak-in rate, permeability, fluid-state bilayers, aging of liposomes, lyso-phosphatidylcholine effect, cholesterol effect, 113
phytosphingosine, ceramide, conformation, 2,3-dihydroxy fatty acid, hydrogen bonds, 79
polymerizable lipid, Raman scattering, resonance Raman,

diacetylene, crystallinity, 1,2-bis-(tricosa 10,12 diynoyl)-*rac*-glycero-3-(-*p*-toluene-sulfonate), 139
protein, two-dimensional crystallization, phospholipid, novobiocin, synthesis, DNA gyrase, 93
pyrene-labeled lipid, excimer, phase transition, 39
pyrrolidides, microwave, transesterification, 281

quenching, antioxidants, fluorescence, bilayers, energy transfer, 123

radical, linolenic, arachidonic, singlet oxygen, photo-oxidation, high performance liquid chromatograpy (HPLC), 165
Raman scattering, polymerizable lipid, resonance Raman, diacetylene, crystallinity, 1,2-bis-(tricosa 10,12 diynoyl)-*rac*-glycero-3-(-*p*-toluene-sulfonate), 139
resonance energy transfer, glycosphingolipid clustering, cholera toxin, ganglioside GM1, 4-nitrobenz-2-oxa-1,3,-diazole (NBD), diphenylhexatriene (DPH), 269
resonance Raman, polymerizable lipid, Raman scattering, diacetylene, crystallinity, 1,2-bis-(tricosa 10,12 diynoyl)-*rac*-glycero-3-(-*p*-toluene-sulfonate), 139
Rhodococcus, mannose mycolate, mycolic acid, glycolipid, 311

singlet oxygen, linolenic, arachidonic, radical, photo-oxidation, high performance liquid chromatograpy (HPLC), 165
size distribution, liposome characterization, dynamic light scattering, small angle X-ray scattering, encapsulated volume, 105
small angle X-ray scattering, liposome characterization, dynamic light scattering, encapsulated volume, size distribution, 105
stereoisomers, DHPC, vesicle aggregation, bilayer phase transition, Ca^{2+}, ethanol, 253
surface-charge screening, diacetylenic phospholipids, tubules, counterion-headgroup interaction, morphology modulation, monolayer films, 193
synthesis, thiolsulfinate, fatty ester, physical properties, 145
synthesis, two-dimensional crystallization, protein, phospholipid, novobiocin, DNA gyrase, 93

thiolsulfinate, fatty ester, synthesis, physical properties, 145
thionine dye, phospholipid liposome, phenosafranin dye, photovoltage, photoelectrochemistry of dye, 225
transesterification, microwave, pyrrolidides, 281
tubules, diacetylenic phospholipids, counterion-headgroup interaction, morphology modulation, surface-charge screening, monolayer films, 193
two-dimensional crystallization, protein, phospholipid, novobiocin, synthesis, DNA gyrase, 93

vesicle aggregation, DHPC, bilayer phase transition, Ca^{2+}, ethanol, stereoisomers, 253

Chemistry and Physics of Lipids, 62 (1992) 325–326
Elsevier Scientific Publishers Ireland Ltd.

Author Index

Volume 62 (1992)

Allevi, P. 209
Antes, P. 269
Aranda, F.J. 215
Aursand, M. 239

Bakare, O. 145
Banerjee, P. 281
Bassi, R. 1
Behroozi, F. 139
Belova, E.V. 229
Bergelson, L.D. 293
Bhowmik, B.B. 225
Bouwstra, J. 105
Bredlow, A. 293
Butko, P. 39

Carrier, D. 153
Catapano, A.L. 209
Cervato, G. 31
Cestaro, B. 31
Chancón, J.N. 165
Cheng, K.H. 39
Crommelin, D.J.A. 105, 113
Daniel, L.W. 263
Das, N.P. 303
Dasgupta, A. 281

Emilsson, A. 263
Epps, D.E. 123

Fogliatto, R. 209
Fujiwara, Y. 45

Gaber, B.P. 139
Galla, H.J. 293
Galli, G. 209
Gatti, P. 31
Gómez-Fernández, J.C. 19, 215
Gooris, G. 105
Grasdalen, H. 239
Grit, M. 113

Han, F. 123
Hinzmann, J.S. 123
Hui, S-W. 69
Hybl, A. 139
Hylarides, M.D. 55

Ioneda, T. 311

Jarrell, H.C. 153

Kézdy, F.J. 123
Kim, H-S. 55
Kinnunen, P.K.J. 253
Kirkpatrick, N.D. 55
Klimov, A.N. 229
Klueva, N.N. 229
Kõiv, A. 253
Kozhevnikova, K.A. 229
Kuroda, Y. 45

Lebeau, L. 93
Lemmen, P. 185
Lie Ken Jie, M.S.F. 145, 177

Malavasi, B. 209
Malik, S. 281
Markowitz, M.A. 193
McKenna, R.L. 123
McLearie, J. 165
Micol, V. 215
Mingeot-Leclercq, M.-P. 153
Mioskowski, C. 93
Mishima, K. 87
Moochhala, S.M. 303

Nakagawa, T. 45
Nixon, A.B. 263

Ogihara, T. 87
Olland, S. 93
Ondriaš, K. 11
Ondriašova, E. 11
Ortiz, A. 215
Oudet, P. 93

Pascher, I. 79
Pierson, T.S. 123
Pinkerton, F.D. 55
Rasetti, M.F. 209
Roma, P. 209

Salomons, M.A. 105
San Martín, C. 215
Sandhoff, K. 269
Sato, T. 303
Satoh, K. 87
Schanck, A. 153

Schmitt, J.D. 263
Schnur, J.M. 193
Schoen, P.E. 139
Schroepfer, Jr. G.J. 55
Schwarzmann, G. 269
Sen Verma, C. 225
Shahi, G.S. 303
Sinclair, R.S. 165
Singh, A. 139, 193
Smith, F.J. 165
Smith, I.C.P. 153
Sonnino, S. 1
Staško, A. 11
Steenbergen, M.J. 105
Sunamoto, J. 303
Sundell, S. 79
Swaminathan, S. 55
Talsma, H. 105
Tomita, M. 87
Tulkens, P.M. 153

Viani, P. 31
Villalaín, J. 19
Villalaín, J. 215

Wakita, M. 45
Werner, B. 185
Wilson, W.K. 55
Wong, K.P. 177
Wykle, R.L. 263

Yu, H. 69